Index to

EXPERIMENTAL MECHANICS

Volume 35, 1995

TITLE INDEX

Additive-subtractive Phase-modulated Shearography with Synchronized Acoustic Stressing — T.C. Chatters, B.F. Pouet and S. Krishnaswamy, 159-165 (Jun.).

Applicability of Normal and Shear Stress Cells Embedded in Cohesionless Materials — V. Askegaard, 315-321 (Dec.).

Approaches for the Generation of Stress Waves in Concrete — J.S. Popovics, J.L. Rose, S. Popovics and V.L. Newhouse, P. Lewin and N. Bilgutay, 36-41 (Mar.).

Assessment of Residual-stress Measurements Around Cold-worked Holes, An — M. Priest, C.G. Poussard, M.J. Pavier and D.J. Smith, 361-366 (Dec.).

Buckling of Slender String in Cylindrical Tube Under Axial Load: Experiments and Theoretical Analysis — X.C. Tan and B. Forsman, 55-60 (Mar.).

Changes in the Experimentalist's Role in the Future of Mechanics - 1995 William M.Murray Lecture — W.G. Knauss, 281-292 (Dec.).

Characterization of Piezo-film Sensors for Direct Vibration and Impact Measurements — S.T. Jenq and C.K. Chang, 224-232 (Sep.).

Characterization of Shock Accelerometers Using Davies Bar and Laser Interferometer — K. Ueda and A. Umeda, 216-223 (Sep.).

Crack-stability Analysis and Fracture Toughness of Ceramic Bend Bars with a Modified Circular Cross Section — K. Cho and I. Bar-On, 104-111 (Jun.).

Crack-tip Caustics in Mechanically Anisotropic Materials — H.P. Rossmanith, R.E. Knasmillner and D. Semenski, 31-35 (Mar.).

Creep and Thermal Cycling Fixture Design for Metal Matrix Composites — M. Taya, J.K. Lee, M. Lui and W.D. Armstrong, 66-70 (Mar.).

Design of a Focal-plane Array Thermographic System for Stress Analysis — T.G. Ryall and A.K. Wong, 144-147 (Jun.).

Determination of Stress-intensity Factors by the Method of Caustics in Anisotropic Materials — M.-C. Baik, S.-H. Choi, J.-S. Hawong and J.-D. Kwon, 137-143 (Jun.).

Determining Reliable Edge Isopachic Data from Interior Thermoelastic Measurements — B.J. Rauch and R.E. Rowlands, 174-181 (Jun.).

Determining the Size and Location of Transverse Cracks in Beams — J.F. Doyle, 272-280 (Sep.).

Dropped-weight Apparatus for Low-speed Impact Testing of Composite Structures, A — D.R. Ambur, C.B. Prasad and W.A. Waters, Jr., 77-82 (Mar.).

Effect of Interface Plate Compliance on Dynamometers Incorporating Octagonal Strain Rings, The — R.M. Brewer, Jr. and M.L. Hull, 337-344 (Dec.).

Enhanced Sensitivity Residual-stress Measurements Using Taper-hole Drilling — M. Tootoonian and G.S. Schajer, 124-129 (Jun.).

Estimation of Flexible Cylinder Displacement in Wave-basin Experiments — A.S. Duggal and J.M. Niedzwecki, 233-244 (Sep.).

Evaluation of Residual Stresses in Stainless-steel Claddings — E. Pluyette, J.M. Sprauel and D. Buisine, 205-211 (Sep.).

Experimental Investigation of the Structural Response of Reactor Fuel Plates, An — W.F. Swinson, R.L. Battiste, C.R. Luttrell, G.T. Yahr, 212-215 (Sep.).

Experimental Strain Analysis of the Iosipescu Shear Test Specimen — D.F. Adams and E.Q. Lewis, 352-360 (Dec.).

Fatigue Crack-tip Deformation, Crack Growth and Life Prediction in Polycarbonate — A. Shimamoto and E. Umezaki, 251-256 (Sep.).

Free Vibrations of a Partially Clamped Trapezoidal Plate — T.Y. Chen, W.R. Wang, J.J. Ju and S.Y. Lee, 49-54 (Mar.).

Fringe-pattern Recognition by Using the Polar-coordinate Transform — V. Shapiro, 322-328 (Dec.).

Grating Interrogations: from Small to Large Strain Measurement — J.C. Dupre, M. Cottron and A. Lagarde, 153-158 (Jun.).

Instability of Confined Rings: An Experimental Approach — C. Sun, W.J.D. Shaw and A.M. Vinogradov, 97-103 (Jun.).

Iosipescu In-plane Shear Test: Validation on an Isotropic Material, The — F. Pierron, A. Vautrin and B. Harris, 130-136 (Jun.).

Low Temperature and Strain Sensitivity of Steel and Aluminum — R. Kandasamy and N.S. Brar, 119-123 (Jun.).

Measurement of Residual Stress in the Weld Overlay Piping Components — H.-J. Yen and M.C.C. Lin, 89-96 (Jun.).

Micromechanics of a Model Heterogeneous Material System Under Compressive Loading — G. Laird II, J.S. Epstein and T.C. Kennedy, 293-305 (Dec.).

Multiple Trenching: A Simple Self-calibrating Method for Residual-stress Measurement — I.F. Schwartz, 201-204 (Sep.).

Panoramic Holointerferometry — D.R. Matthys, J.A. Gilbert and J. Puliparambil, 83-88 (Mar.).

Performance of the FAST System for Stress Analysis — A.K. Wong and T.G. Ryall, 148-152 (Jun.).

Phase-stepped ESPI and Moiré Interferometry for Measuring Stress-intensity Factor and J Integral — A.J. Moore and J.R. Tyrer, 306-314 (Dec.).

Photoelastic Fiber-optic Strain Gage, A — W. Su, J.A. Gilbert and C. Katsinis, 71-76 (Mar.).

Photoelastic Stress Analysis of Orthotropic Materials by Using an Isotropic Plate — T. Hayashi and Y. Morimoto, 245-250 (Sep.).

Photoplastic Studies of Strain Distributions in the Cold Drawing of Polycarbonate Cylindrical Bars: the Rate Effect — J.H. Lee, D.F. Simon and D.J. Choi, 182-191 (Jun.).

Pressure-shear Plate Impact Experiment for Investigating Transient Friction, A — V. Prakash, 329-336 (Dec.).

Reproducible Time-of-flight Measurements with a Piezolectric Transducer for Acoustoelastic Stress Evaluation — M. Janssen, 266-271 (Sep.).

Residual-stress Effects at a Notch Root in A723 Steel to Extend Fatigue Life — J.H. Underwood, 61-65 (Mar.).

Response Spectrum Methods in Tank-vehicle Design — U. Olofsson, T. Svensson and H. Torstensson, 345-351 (Dec.).

Retrospect on the Contributions of G.I. Taylor to the Continuum Physics of Solids, A — J.F. Bell, 1-10 (Mar.).

Spatial and Pressure Resolution of Fuji Pressure-sensitive Film, The — A.B. Liggins, W.R. Hardie and J.B. Finlay, 166-173 (Jun.).

Stress Measurement by Copper Electroplating Based on Grain Growth — A. Kato, 24-30 (Mar.).

Surface Flaws Using a Modified AC Magnetic Bridge — M.R. Woodward, H.A. Sreshta, O.H. Zinke and W.F. Schmidt, 367-373 (Dec.).

System Identification with Reaction-mass Devices — R. Quan, 42-48 (Mar.).

Thermoelastic Stress Analysis of Orthotropic Composites — S.T. Lin and R.E. Rowlands, 257-265 (Sep.).

Three-jack Solution to Obtain a Truly Stable and Symmetric Tensile Concrete Test — A. Carpinteri and F. Maradei, 19-23 (Mar.).

Towards RGB Photoelasticity: Full-field Automated Photoelasticity in White Light — A. Ajovalasit, S. Barone and G. Petrucci, 193-200 (Sep.).

Two Methods for Determining Impact-force History on Elastic Plates — E. Wu, T.-D. Tsai and C.-S. Yen, 11-18 (Mar.).

X-ray Diffraction Study of the Fatigue Behavior of a Shot-peened Aluminum-lithium Alloy — B. Reynier, G. Chappuis and J.-M. Sprauel, 112-118 (Jun.).

Index to

EXPERIMENTAL MECHANICS

Volume 35, 1995

TITLE INDEX

Additive-subtractive Phase-modulated Shearography with Synchronized Acoustic Stressing — T.C. Chatters, B.F. Pouet and S. Krishnaswamy, 159-165 (Jun.).

Applicability of Normal and Shear Stress Cells Embedded in Cohesionless Materials — V. Askegaard, 315-321 (Dec.).

Approaches for the Generation of Stress Waves in Concrete — J.S. Popovics, J.L. Rose, S. Popovics and V.L. Newhouse, P. Lewin and N. Bilgutay, 36-41 (Mar.).

Assessment of Residual-stress Measurements Around Cold-worked Holes, An — M. Priest, C.G. Poussard, M.J. Pavier and D.J. Smith, 361-366 (Dec.).

Buckling of Slender String in Cylindrical Tube Under Axial Load: Experiments and Theoretical Analysis — X.C. Tan and B. Forsman, 55-60 (Mar.).

Changes in the Experimentalist's Role in the Future of Mechanics - 1995 William M.Murray Lecture — W.G. Knauss, 281-292 (Dec.).

Characterization of Piezo-film Sensors for Direct Vibration and Impact Measurements — S.T. Jenq and C.K. Chang, 224-232 (Sep.).

Characterization of Shock Accelerometers Using Davies Bar and Laser Interferometer — K. Ueda and A. Umeda, 216-223 (Sep.).

Crack-stability Analysis and Fracture Toughness of Ceramic Bend Bars with a Modified Circular Cross Section — K. Cho and I. Bar-On, 104-111 (Jun.).

Crack-tip Caustics in Mechanically Anisotropic Materials — H.P. Rossmanith, R.E. Knasmillner and D. Semenski, 31-35 (Mar.).

Creep and Thermal Cycling Fixture Design for Metal Matrix Composites — M. Taya, J.K. Lee, M. Lui and W.D. Armstrong, 66-70 (Mar.).

Design of a Focal-plane Array Thermographic System for Stress Analysis — T.G. Ryall and A.K. Wong, 144-147 (Jun.).

Determination of Stress-intensity Factors by the Method of Caustics in Anisotropic Materials — M.-C. Baik, S.-H. Choi, J.-S. Hawong and J.-D. Kwon, 137-143 (Jun.).

Determining Reliable Edge Isopachic Data from Interior Thermoelastic Measurements — B.J. Rauch and R.E. Rowlands, 174-181 (Jun.).

Determining the Size and Location of Transverse Cracks in Beams — J.F. Doyle, 272-280 (Sep.).

Dropped-weight Apparatus for Low-speed Impact Testing of Composite Structures, A — D.R. Ambur, C.B. Prasad and W.A. Waters, Jr., 77-82 (Mar.).

Effect of Interface Plate Compliance on Dynamometers Incorporating Octagonal Strain Rings, The — R.M. Brewer, Jr. and M.L. Hull, 337-344 (Dec.).

Enhanced Sensitivity Residual-stress Measurements Using Taper-hole Drilling — M. Tootoonian and G.S. Schajer, 124-129 (Jun.).

Estimation of Flexible Cylinder Displacement in Wave-basin Experiments — A.S. Duggal and J.M. Niedzwecki, 233-244 (Sep.).

Evaluation of Residual Stresses in Stainless-steel Claddings — E. Pluyette, J.M. Sprauel and D. Buisine, 205-211 (Sep.).

Experimental Investigation of the Structural Response of Reactor Fuel Plates, An — W.F. Swinson, R.L. Battiste, C.R. Luttrell, G.T. Yahr, 212-215 (Sep.).

Experimental Strain Analysis of the Iosipescu Shear Test Specimen — D.F. Adams and E.Q. Lewis, 352-360 (Dec.).

Fatigue Crack-tip Deformation, Crack Growth and Life Prediction in Polycarbonate — A. Shimamoto and E. Umezaki, 251-256 (Sep.).

Free Vibrations of a Partially Clamped Trapezoidal Plate — T.Y. Chen, W.R. Wang, J.J. Ju and S.Y. Lee, 49-54 (Mar.).

Fringe-pattern Recognition by Using the Polar-coordinate Transform — V. Shapiro, 322-328 (Dec.).

Grating Interrogations: from Small to Large Strain Measurement — J.C. Dupre, M. Cottron and A. Lagarde, 153-158 (Jun.).

Instability of Confined Rings: An Experimental Approach — C. Sun, W.J.D. Shaw and A.M. Vinogradov, 97-103 (Jun.).

Iosipescu In-plane Shear Test: Validation on an Isotropic Material, The — F. Pierron, A. Vautrin and B. Harris, 130-136 (Jun.).

Low Temperature and Strain Sensitivity of Steel and Aluminum — R. Kandasamy and N.S. Brar, 119-123 (Jun.).

Measurement of Residual Stress in the Weld Overlay Piping Components — H.-J. Yen and M.C.C. Lin, 89-96 (Jun.).

Micromechanics of a Model Heterogeneous Material System Under Compressive Loading — G. Laird II, J.S. Epstein and T.C. Kennedy, 293-305 (Dec.).

Multiple Trenching: A Simple Self-calibrating Method for Residual-stress Measurement — I.F. Schwartz, 201-204 (Sep.).

Panoramic Holointerferometry — D.R. Matthys, J.A. Gilbert and J. Puliparambil, 83-88 (Mar.).

Performance of the FAST System for Stress Analysis — A.K. Wong and T.G. Ryall, 148-152 (Jun.).

Phase-stepped ESPI and Moiré Interferometry for Measuring Stress-intensity Factor and J Integral — A.J. Moore and J.R. Tyrer, 306-314 (Dec.).

Photoelastic Fiber-optic Strain Gage, A — W. Su, J.A. Gilbert and C. Katsinis, 71-76 (Mar.).

Photoelastic Stress Analysis of Orthotropic Materials by Using an Isotropic Plate — T. Hayashi and Y. Morimoto, 245-250 (Sep.).

Photoplastic Studies of Strain Distributions in the Cold Drawing of Polycarbonate Cylindrical Bars: the Rate Effect — J.H. Lee, D.F. Simon and D.J. Choi, 182-191 (Jun.).

Pressure-shear Plate Impact Experiment for Investigating Transient Friction, A — V. Prakash, 329-336 (Dec.).

Reproducible Time-of-flight Measurements with a Piezolectric Transducer for Acoustoelastic Stress Evaluation — M. Janssen, 266-271 (Sep.).

Residual-stress Effects at a Notch Root in A723 Steel to Extend Fatigue Life — J.H. Underwood, 61-65 (Mar.).

Response Spectrum Methods in Tank-vehicle Design — U. Olofsson, T. Svensson and H. Torstensson, 345-351 (Dec.).

Retrospect on the Contributions of G.I. Taylor to the Continuum Physics of Solids, A — J.F. Bell, 1-10 (Mar.).

Spatial and Pressure Resolution of Fuji Pressure-sensitive Film, The — A.B. Liggins, W.R. Hardie and J.B. Finlay, 166-173 (Jun.).

Stress Measurement by Copper Electroplating Based on Grain Growth — A. Kato, 24-30 (Mar.).

Surface Flaws Using a Modified AC Magnetic Bridge — M.R. Woodward, H.A. Sreshta, O.H. Zinke and W.F. Schmidt, 367-373 (Dec.).

System Identification with Reaction-mass Devices — R. Quan, 42-48 (Mar.).

Thermoelastic Stress Analysis of Orthotropic Composites — S.T. Lin and R.E. Rowlands, 257-265 (Sep.).

Three-jack Solution to Obtain a Truly Stable and Symmetric Tensile Concrete Test — A. Carpinteri and F. Maradei, 19-23 (Mar.).

Towards RGB Photoelasticity: Full-field Automated Photoelasticity in White Light — A. Ajovalasit, S. Barone and G. Petrucci, 193-200 (Sep.).

Two Methods for Determining Impact-force History on Elastic Plates — E. Wu, T.-D. Tsai and C.-S. Yen, 11-18 (Mar.).

X-ray Diffraction Study of the Fatigue Behavior of a Shot-peened Aluminum-lithium Alloy — B. Reynier, G. Chappuis and J.-M. Sprauel, 112-118 (Jun.).

AUTHOR INDEX

Adams, D.F. — Experimental Strain Analysis of the Iosipescu Shear Test Specimen, 352-360 (Dec.).

Ajovalasit, A. — Towards RGB Photoelasticity: Full-field Automated Photoelasticity in White Light, 193-200 (Sep.).

Ambur, D.R. — A Dropped-weight Apparatus for Low-speed Impact of Composite Structures, 77-82 (Mar.).

Armstrong, W.D. — Creep and Thermal Cycling Fixture Design for Metal Matrix Composites, 66-70 (Mar.).

Askegaard, V. — Applicability of Normal and Shear Stress Cells Embedded in Cohesionless Materials, 315-321 (Dec.).

Baik, M.-C. — Determination of Stress-intensity Factors by the Method of Caustics in Anisotropic Materials, 137-143 (Jun.).

Bar-On, I. — Crack-stability Analysis and Fracture Toughness of Ceramic Bend Bars with a Modified Circular Cross Section, 104-111 (Jun.).

Barone, S. — Towards RGB Photoelasticity: Full-field Automated Photoelasticity in White Light, 193-200 (Sep.).

Battiste, R.L. — An Experimental Investigation of the Structural Response of Reactor Fuel Plates, 212-215 (Sep.).

Bell, J.F. — A Retrospect on the Contributions of G.I. Taylor to the Continuum Physics of Solids, 1-10 (Mar.).

Bilgutay, N. — Approaches for the Generation of Stress Waves in Concrete, 36-41 (Mar.).

Brar, N.S. — Low Temperature and Strain Sensitivity of Steel and Aluminum, 119-123 (Jun.).

Brewer, Jr., R.M. — The Effect of Interface Plate Compliance on Dynamometers Incorporating Octagonal Strain Rings, 337-344 (Dec.).

Buisine, D. — Evaluation of Residual Stresses in Stainless-steel Claddings, 205-211 (Sep.).

Carpinteri, A. — Three-jack Solution to Obtain a Truly Stable and Symmetric Tensile Concrete Test, 19-23 (Mar.).

Chang, C.K. — Characterization of Piezo-film Sensors for Direct Vibration and Impact Measurements, 224-232 (Sep.).

Chappuis, G. — X-ray Diffraction Study of the Fatigue Behavior of a Shot-peened Aluminum-lithium Alloy, 112-118 (Jun.).

Chatters, T.C. — Additive-subtractive Phase-modulated Shearography with Synchronized Acoustic Stressing, 159-165 (Jun.).

Chen, T.Y. — Free Vibrations of a Partially Clamped Trapezoidal Plate, 49-54 (Mar.).

Cho, K. — Crack-stability Analysis and Fracture Toughness of Ceramic Bend Bars with a Modified Circular Cross Section, 104-111 (Jun.).

Choi, D.J. — Photoplastic Studies of Strain Distributions in the Cold Drawing of Polycarbonate Cylindrical Bars: the Rate Effect, 182-191 (Jun.).

Choi, S.-H. — Determination of Stress-intensity Factors by the Method of Caustics in Anisotropic Materials, 137-143 (Jun.).

Cottron, M. — Grating Interrogations: from Small to Large Strain Measurement, 153-158 (Jun.).

Doyle, J.F. — Determining the Size and Location of Transverse Cracks in Beams, 272-280 (Sep.).

Duggal, A.S. — Estimation of Flexible Cylinder Displacement in Wave-basin Experiments, 233-244 (Sep.).

Dupre, J.C. — Grating Interrogations: from Small to Large Strain Measurement, 153-158 (Jun.).

Epstein, J.S. — Micromechanics of a Model Heterogeneous Material System Under Compressive Loading, 293-305 (Dec.).

Finlay, J.B. — The Spatial and Pressure Resolution of Fuji Pressure-sensitive Film, 166-173 (Jun.).

Forsman, B. — Buckling of Slender String in Cylindrical Tube Under Axial Load: Experiments and Theoretical Analysis, 55-60 (Mar.).

Gilbert, J.A. — A Photoelastic Fiber-optic Strain Gage, 71-76 (Mar.).

Gilbert, J.A. — Panoramic Holointerferometry, 83-88 (Mar.).

Hardie, W.R. — The Spatial and Pressure Resolution of Fuji Pressure-sensitive Film, 166-173 (Jun.).

Harris, B. — The Iosipescu In-plane Shear Test: Validation on an Isotropic Material, 130-136 (Jun.).

Hawong, J.-S. — Determination of Stress-intensity Factors by the Method of Caustics in Anisotropic Materials, 137-143 (Jun.).

Hayashi, T. — Photoelastic Stress Analysis of Orthotropic Materials by Using an Isotropic Plate, 245-250 (Sep.).

Hull, M.L. — The Effect of Interface Plate Compliance on Dynamometers Incorporating Octagonal Strain Rings, 337-344 (Dec.).

Janssen, M. — Reproducible Time-of-flight Measurements with a Piezolectric Transducer for Acoustoelastic Stress Evaluation, 266-271 (Sep.).

Jenq, S.T. — Characterization of Piezo-film Sensors for Direct Vibration and Impact Measurements, 224-232 (Sep.).

Ju, J.J. — Free Vibrations of a Partially Clamped Trapezoidal Plate, 49-54 (Mar.).

Kandasamy, R. — Low Temperature and Strain Sensitivity of Steel and Aluminum, 119-123 (Jun.).

Kato, A. — Stress Measurement by Copper Electroplating Based on Grain Growth, 24-30 (Mar.).

Katsinis, C. — A Photoelastic Fiber-optic Strain Gage, 71-76 (Mar.).

Kennedy, T.C. — Micromechanics of a Model Heterogeneous Material System Under Compressive Loading, 293-305 (Dec.).

Knasmillner, R.E. — Crack-tip Caustics in Mechanically Anisotropic Materials, 31-35 (Mar.).

Knauss, W.G. — Changes in the Experimentalist's Role in the Future of Mechanics - 1995 William M. Murray Lecture, 281-292 (Dec.).

Krishnaswamy, S. — Additive-subtractive Phase-modulated Shearography with Synchronized Acoustic Stressing, 159-165 (Jun.).

Kwon, Jae-Do — Determination of Stress-intensity Factors by the Method of Caustics in Anisotropic Materials, 137-143 (Jun.).

Lagarde, A. — Grating Interrogations: from Small to Large Strain Measurement, 153-158 (Jun.).

Laird II, G. — Micromechanics of a Model Heterogeneous Material System Under Compressive Loading, 293-305 (Dec.).

Lee, J.H. — Photoplastic Studies of Strain Distributions in the Cold Drawing of Polycarbonate Cylindrical Bars: the Rate Effect, 182-191 (Jun.).

Lee, J.K. — Creep and Thermal Cycling Fixture Design for Metal Matrix Composites, 66-70 (Mar.).

Lee, S.Y. — Free Vibrations of a Partially Clamped Trapezoidal Plate, 49-54 (Mar.).

Lewin, P. — Approaches for the Generation of Stress Waves in Concrete, 36-41 (Mar.).

Lewis, E.Q. — Experimental Strain Analysis of the Iosipescu Shear Test Specimen, 352-360 (Dec.).

Liggins, A.B. — The Spatial and Pressure Resolution of Fuji Pressure-sensitive Film, 166-173 (Jun.).

Lin, M.C.-C. — Measurement of Residual Stress in the Weld Overlay Piping Components, 89-96 (Jun.).

Lin, S.T. — Thermoelastic Stress Analysis of Orthotropic Composites, 257-265 (Sep.).

Lui, M. — Creep and Thermal Cycling Fixture Design for Metal Matrix Composites, 66-70 (Mar.).

Luttrell, C.R. — An Experimental Investigation of the Structural Response of Reactor Fuel Plates, 212-215 (Sep.).

Maradei, F. — Three-jack Solution to Obtain a Truly Stable and Symmetric Tensile Concrete Test, 19-23 (Mar.).

Matthys, D.R. — Panoramic Holointerferometry, 83-88 (Mar.).

Moore, A.J. — Phase-stepped ESPI and Moiré Interferometry for Measuring Stress-intensity Factor and J-Integral, 306-314 (Dec.).

Morimoto, Y. — Photoelastic Stress Analysis of Orthotropic Materials by Using an Isotropic Plate, 245-250 (Sep.).

Newhouse, V.L. — Approaches for the Generation of Stress Waves in Concrete, 36-41 (Mar.).

Niedzwecki, J.M. — Estimation of Flexible Cylinder Displacement in Wave-basin Experiments, 233-244 (Sep.).

Olofsson, U. — Response Spectrum Methods in Tank-vehicle Design, 345-351 (Dec.).
Pavier, M.J. — An Assessment of Residual-stress Measurements Around Cold-worked Holes, 361-366 (Dec.).
Petrucci, G. — Towards RGB Photoelasticity: Full-field Automated Photoelasticity in White Light, 193-200 (Sep.).
Pierron, F. — The Iosipescu In-plane Shear Test: Validation on an Isotropic Material, 130-136 (Jun.).
Pluyette, E. — Evaluation of Residual Stresses in Stainless-steel Claddings, 205-211 (Sep.).
Popovics, J.S. — Approaches for the Generation of Stress Waves in Concrete, 36-41 (Mar.).
Popovics, S. — Approaches for the Generation of Stress Waves in Concrete, 36-41 (Mar.).
Pouet, B.F. — Additive-subtractive Phase-modulated Shearography with Synchronized Acoustic Stressing, 159-165 (Jun.).
Poussard, C.G. — An Assessment of Residual-stress Measurements Around Cold-worked Holes, 361-366 (Dec.).
Prakash, V. — A Pressure-shear Plate Impact Experiment for Investigating Transient Friction, 329-336 (Dec.).
Prasad, C.B. — A Dropped-weight Apparatus for Low-speed Impact of Testing Composite Structures, 77-82 (Mar.).
Priest, M. — An Assessment of Residual-stress Measurements Around Cold-worked Holes, 361-366 (Dec.).
Puliparambil, J. — Panoramic Holointerferometry, 83-88 (Mar.).
Quan, R. — System Identification with Reaction-mass Devices, 42-48 (Mar.).
Rauch, B.J. — Determining Reliable Edge Isopachic Data From Interior Thermoelastic Measurements, 174-181 (Jun.).
Reynier, B. — X-ray Diffraction Study of the Fatigue Behavior of a Shot-peened Aluminum-lithium Alloy, 112-118 (Jun.).
Rose, J. L. — Approaches for the Generation of Stress Waves in Concrete, 36-41 (Mar.).
Rossmanith, H.P. — Crack-tip Caustics in Mechanically Anisotropic Materials, 31-35 (Mar.).
Rowlands, R.E. — Determining Reliable Edge Isopachic Data From Interior Thermoelastic Measurements, 174-181 (Jun.).
Rowlands, R.E. — Thermoelastic Stress Analysis of Orthotropic Composites, 257-265 (Sep.).
Ryall, T.G. — Design of a Focal-plane Array Thermographic System for Stress Analysis, 144-147 (Jun.).
Ryall, T.G. — Performance of the FAST System for Stress, 148-152 (Jun.).
Schajer, G.S. — Enhanced Sensitivity Residual-stress Measurements Using Taper-hole Drilling, 124-129 (Jun.).
Schmidt, W.F. — Surface Flaws Using a Modified AC Magnetic Bridge, 367-373 (Dec.).
Schwartz, I.F. — Multiple Trenching: A Simple Self-calibrating Method for Residual-stress Measurement, 201-204 (Sep.).
Semenski, D. — Crack-tip Caustics in Mechanically Anisotropic Materials, 31-35 (Mar.).
Shapiro, V. — Fringe-pattern Recognition by Using the Polar-coordinate Transform, 322-328 (Dec.).
Shaw, W.J.D. — Instability of Confined Rings: An Experimental Approach, 97-103 (Jun.).
Shimamoto, A. — Fatigue Crack-tip Deformation, Crack Growth and Life Prediction in Polycarbonate, 251-256 (Sep.).
Simon, Dana F. — Photoplastic Studies of Strain Distributions in the Cold Drawing of Polycarbonate Cylindrical Bars: the Rate Effect, 182-191 (Jun.).
Smith, D.J. — An Assessment of Residual-stress Measurements Around Cold-worked Holes, 361-366 (Dec.).
Sprauel, J.-M. — X-ray Diffraction Study of the Fatigue Behavior of a Shot-peened Aluminum-lithium Alloy, 112-118 (Jun.).
Sprauel, J.M. — Evaluation of Residual Stresses in Stainless-steel Claddings, 205-211 (Sep.).
Sreshta, H.A. — Surface Flaws Using a Modified AC Magnetic Bridge, 367-373 (Dec.).
Su, W. — A Photoelastic Fiber-optic Strain Gage, 71-76 (Mar.).
Sun, C. — Instability of Confined Rings: An Experimental Approach, 97-103 (Jun.).
Svensson, T. — Response Spectrum Methods in Tank-vehicle Design, 345-351 (Dec.).
Swinson, W.F. — An Experimental Investigation of the Structural Response of Reactor Fuel Plates, 212-215 (Sep.).
Tan, X.C. — Buckling of Slender String in Cylindrical Tube Under Axial Load: Experiments and Theoretical Analysis, 55-60 (Mar.).
Taya, M. — Creep and Thermal Cycling Fixture Design for Metal Matrix Composites, 66-70 (Mar.).
Tootoonian, M. — Enhanced Sensitivity Residual-stress Measurements Using Taper-hole Drilling, 124-129 (Jun.).
Torstensson, H. — Response Spectrum Methods in Tank-vehicle Design, 345-351 (Dec.).
Tsai, T.-D. — Two Methods for Determining Impact-force History on Elastic Plates, 11-18 (Mar.).
Tyrer, J.R. — Phase-stepped ESPI and Moiré Interferometry for Measuring Stress-intensity Factor and J-Integral, 306-314 (Dec.).
Ueda, K. — Characterization of Shock Accelerometers Using Davies Bar and Laser Interferometer, 216-223 (Sep.).
Umeda, A. — Characterization of Shock Accelerometers Using Davies Bar and Laser Interferometer, 216-223 (Sep.).
Umezaki, E. — Fatigue Crack-tip Deformation, Crack Growth and Life Prediction in Polycarbonate, 251-256 (Sep.).
Underwood, J.H. — Residual Stress Effects at a Notch Root in A723 Steel to Extend Fatigue Life, 61-65 (Mar.).
Vautrin, A. — The Iosipescu In-plane Shear Test: Validation on an Isotropic Material, 130-136 (Jun.).
Vinogradov, A.M. — Instability of Confined Rings: An Experimental Approach, 97-103 (Jun.).
Wang, WR. — Free Vibrations of a Partially Clamped Trapezoidal Plate, 49-54 (Mar.).
Waters, Jr., W.A. — A Dropped-weight Apparatus for Low-speed Impact of Testing Composite Structures, 77-82 (Mar.).
Wong, A.K. — Design of a Focal-plane Array Thermographic System for Stress Analysis, 144-147 (Jun.).
Wong, A.K. — Performance of the FAST System for Stress, 148-152 (Jun.).
Woodward, M.R. — Surface Flaws Using a Modified AC Magnetic Bridge, 367-373 (Dec.).
Wu, E. — Two Methods for Determining Impact-force History on Elastic Plates, 11-18 (Mar.).
Yahr, G.T. — An Experimental Investigation of the Structural Response of Reactor Fuel Plates, 212-215 (Sep.).
Yen, C.-S. — Two Methods for Determining Impact-force History on Elastic Plates, 11-18 (Mar.).
Yen, H.-J. — Measurement of Residual Stress in the Weld Overlay Piping Components, 89-96 (Jun.).
Zinke, O.H. — Surface Flaws Using a Modified AC Magnetic Bridge, 367-373 (Dec.).